The Biodiversity Metric 2.0 - Calculation Tool Start page

Project details

| Planning authority: | |
|---------------------------------|--------------------|
| Project name: | SWS - to - Route 1 |
| Applicant: | Southern Water |
| Application type: | |
| Planning application reference: | |
| Assessor: | TP |
| Reviewer: | LP |
| Revision: | |
| Assessment date: | |
| Planning authority reviewer: | |



Main menu


Results

Cell style conventions

| Enter data |
|------------------|
| Automatic lookup |
| Result |



Reset view



The Biodiversity Metric 2.0 - Calculation Tool





Detailed results

Habitat trading summary

Headline Results Return to

| Habitat units | |
|----------------|--|
| | |
| Hedgerow units | |
| River units | |
| | |
| Habitat units | |
| Hedgerow units | |
| River units | |
| | |
| Habitat units | |
| Hedaerow units | |
| River units | |
| | |
| Habitat units | |
| | |
| | |
| Tiver units | |
| Habitat units | |
| | |
| | |
| | |
| Habitat units | |
| Hedaerow units | |
| River units | |
| | Habitat units Hedgerow units River units Habitat units Habitat units Habitat units Habitat units Hobitat units Hedgerow units River units Habitat units Hedgerow units River units Habitat units Habitat units Habitat units Habitat units Habitat units Habitat units |




| | | Habitats and areas | Habitat | distinctiveness | Habitat | condition | | Ecological connectivit | ty | Strategi | c significance | | Suggested action to address | Ecc |
|-----|---------------------|--|-------------------|-----------------|-----------------------|-----------|-------------------------|---------------------------------|-------------------------|--|----------------------------------|-------------------------------|---|-------|
| Ref | Broad Habitat | | Area nectares) | ess Score | Condition | Score | Ecological connectivity | Connectivity | Connectivity multiplier | Strategic significance | Strategic significance | Strategic position multiplier | habitat losses | Total |
| 1 | Cropland | Cropland - Cereal crops | Low | 2 | N/A - Agricultural | 1 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Same distinctiveness or better habitat required | |
| 2 | Grassland | Grassland - Other neutral grassland | Medium | 4 | Moderate | 2 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Same broad habitat or a higher distinctiveness habitat required | |
| 3 | Grassland | Grassland - Modified grassland | Low | 2 | Moderate | 2 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Same distinctiveness or better habitat required | |
| 4 | Heathland and shrub | Heathland and shrub - Mixed scrub | Medium | 4 | Moderate | 2 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Same broad habitat or a higher distinctiveness habitat required | |
| 5 | Lakes | Lakes - Ponds (Non- Priority Habitat) | High | 6 | Moderate | 2 | medium | Moderately connected habitat | 1.1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Same habitat required | |
| 6 | Urban | Urban - Developed land; sealed surface | V.Low | 0 | N/A - Other | 0 | N/A | Assessment not appropriate | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Compensation Not Required | |
| 7 | Urban | Urban - Built linear features | V.Low | 0 | N/A - Other | 0 | N/A | Assessment not appropriate | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Compensation Not Required | |
| 8 | Woodland and forest | Woodland and forest - Lowland mixed deciduous woodland | High | 6 | Moderate | 2 | medium | Moderately connected habitat | 1.1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Same habitat required | |
| 9 | Woodland and forest | Woodland and forest - Other coniferous woodland | Low | 2 | Moderate | 2 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Same distinctiveness or better habitat required | |

| | | R | etention cat | tegory biodi | versity value | | | Bespoke compensation | Comm | nents |
|------------------|------------------|-----------------|-------------------------------|-------------------------------|---------------------------------|-----------|------------|--------------------------------------|-------------------|-------------------|
| Area retained | Area enhanced | Area succession | Baseline units retained | Baseline units enhanced | Baseline units succession | Area lost | Units lost | agreed for unacceptable losses | Assessor comments | Reviewer comments |
| | | | 0.00 | 0.00 | 0.00 | | | | | |
| | | | 0.00 | 0.00 | 0.00 | | | | | |
| | | | 0.00 | 0.00 | 0.00 | | | | | |
| | | | 0.00 | 0.00 | 0.00 | | | | | |
| | | | 0.00 | 0.00 | 0.00 | | | | | |
| | | | 0.00 | 0.00 | 0.00 | | | | | |
| | | | 0.00 | 0.00 | 0.00 | | | | | |
| | | | 0.00 | 0.00 | 0.00 | | | | | |
| | | | 0.00 | 0.00 | 0.00 | | | | | |

| A-2 Site Habitat Creation | |
|---------------------------|----------------------|
| Condense / Show Columns | Condense / Show Rows |
| Main Menu | Instructions |

| | | | | | | Post dev | elopment/ post interventi | on habitats | | | | | | | | | | |
|--|--------------------|-----------------|-------|-----------------------|-------|-------------------------|------------------------------|-------------------------|---|-------------------------------|-------------------------------------|--------------------------------|---------------------------|---------------------------------------|---|----------------------------|-------------------|-------------------|
| | | | | | | | Ecological connectivity | | Strategic sign | ificance | | Temporal r | multiplier | Difficulty | multipliers | | Co | mments |
| Proposed habitat | Area (hectares) | Distinctiveness | Score | Condition | Score | Ecological connectivity | Connectivity | Connectivity multiplier | Strategic significance | Strategic significance | Strategic position multiplier | Time to target condition/years | Time to target multiplier | Difficulty of creation category | Difficulty of creation multiplier | Habitat units delivered | Assessor comments | Reviewer comments |
| Cropland - Cereal crops | | Low | 2 | N/A - Agricultural | 1 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | 1 | 0.965 | Low | 1 | | | |
| Grassland - Other neutral grassland | | Medium | 4 | moderate | 2 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | 10 | 0.700 | Low | 1 | | | |
| Grassland - Modified grassland | | Low | 2 | moderate | 2 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | 10 | 0.700 | Low | 1 | | | |
| Heathland and shrub - Mixed scrub | | Medium | 4 | moderate | 2 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | 3 | 0.899 | Low | 1 | | | |
| Lakes - Ponds (Non- Priority Habitat) | | High | 6 | moderate | 2 | medium | Moderately connected habitat | 1.1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | 3 | 0.899 | Low | 1 | | | |
| Urban - Developed land; sealed surface | | V.Low | 0 | N/A - Other | 0 | N/A | Assessment not appropriate | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | 0 | 1.000 | Low | 1 | | | |
| Urban - Built linear features | | V.Low | 0 | N/A - Other | 0 | N/A | Assessment not appropriate | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | 0 | 1.000 | Low | 1 | | | |
| Woodland and forest - Lowland mixed deciduous woodland | | High | 6 | moderate | 2 | medium | Moderately connected habitat | 1.1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | 32+ | 0.320 | High | 0.33 | | | |
| Woodland and forest - Other coniferous woodland | | Low | 2 | moderate | 2 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | 25 | 0.410 | Low | 1 | | | |





| | | Habitats and areas | | Habitat distinctiv | eness | Habitat cor | ndition | | Ecological connectivity | | Strategic signif | icance | | | Ecologica baseline |
|-----------------|--------------------------------|---------------------------------------|--------------------|--------------------|-------|-------------|---------|-------------------------|------------------------------|----------------------------|--|----------------------------------|-------------------------------------|--|-----------------------|
| Baseline ref | Broad habitat | Habitat type | Area (hectares) | Distinctiveness | Score | Condition | Score | Ecological connectivity | Connectivity | Connectivity multiplier | Strategic significance | Strategic significance | Strategic position multiplier | Suggested action to address habitat losses | Total habi units |
| 1 | Grassland | Grassland - Modified grassland | | Low | 2 | Poor | 1 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Same distinctiveness or better habitat required | |
| 2 | Grassland | Grassland - Other neutral grassland | | Medium | 4 | Moderate | 2 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Same broad habitat or a higher distinctiveness habitat required | |
| 3 | Grassland | Grassland - Modified grassland | | Low | 2 | Moderate | 2 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Same distinctiveness or better habitat required | |
| 4 | Heathland and shrub | Heathland and shrub - Mixed scrub | | Medium | 4 | Poor | 1 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Same broad habitat or a higher distinctiveness habitat required | |
| 5 | Lakes | Lakes - Ponds (Non- Priority Habitat) | | High | 6 | Poor | 1 | medium | Moderately connected habitat | 1.1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Same habitat required | |
| 6 | Grassland - Modified grassland | | | Low | 2 | Moderate | 2 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Same distinctiveness or better habitat required | |

| | | Re | etention cate | gory biodive | ersity value | | | Bespoke compensation | Comr | nents |
|------------------|------------------|-----------------|-------------------------------|-------------------------------|---------------------------------|-----------|------------|--------------------------------------|-------------------|-------------------|
| Area retained | Area enhanced | Area succession | Baseline units retained | Baseline units enhanced | Baseline units succession | Area lost | Units lost | agreed for unacceptable losses | Assessor comments | Reviewer comments |
| | 6 | | 0 | 13.20 | 0.00 | | | | | |
| | 1.695 | | 0 | 14.92 | 0.00 | | | | | |
| | 6.78 | | 0 | 29.83 | 0.00 | | | | | |
| | 1.695 | | 0 | 7.46 | 0.00 | | | | | |
| | 0.02825 | | 0 | 0.21 | 0.00 | | | | | |
| | | 13.56 | 0 | 0.00 | 59.66 | | | | | |

D-3 Off Site Habitat Enhancment

ondense y snow cordin

Condense / Show Row

| Main N | Menu Instructions | | | | | | | | | | _ | | | |
|--------------|---------------------------------------|---|------------------------|--|--------------------|------------------|-------------------------------|---|--------------------------------|--|--|-------------------------|--|-------------------|
| | | | | | Post developm | ent/ post interv | vention habitats | | | | | | | |
| | Baseline habitats | | Change in distinctiv | veness and condition | | | Ecological connectivity | Strategic significance | Temporal multiplier | Difficulty multipliers | Spatial risk multiplier | | Com | ments |
| Baseline ref | Baseline habitat | Proposed habitat (Pre-Populated but can be overridden) | Distinctiveness change | Area Condition change | ha Distinctiveness | Condition | Ecological connectivity score | Strategic significance | Time to target condition/years | Difficulty of enhancement category | Spatial risk category | Habitat units delivered | Assessor comments | Reviewer comments |
| 1 | Grassland - Modified grassland | Grassland - Other neutral grassland | Low - Medium | Lower Distinctiveness Habitat - Moderate | Medium | Moderate | Low | Location ecologically desirable but not in local strategy | 10 | Low | Compensation inside LPA or NCA, or deemed to be sufficiently local, to site of biodiversity loss | | compensation for - Cropland - Cereal crops | |
| 2 | Grassland - Other neutral grassland | Grassland - Lowland meadows | Medium - V.High | Lower Distinctiveness Habitat - Moderate | V.High | Moderate | Medium | Location ecologically desirable but not in local strategy | 10 | Medium | Compensation inside LPA or NCA, or deemed to be sufficiently local, to site of biodiversity loss | | compensation for - Grassland - Other neutral grassland | |
| 3 | Grassland - Modified grassland | Grassland - Other neutral grassland | Low - Medium | Lower Distinctiveness Habitat - Moderate | Medium | Moderate | Low | Location ecologically desirable but not in local strategy | 10 | Low | Compensation inside LPA or NCA, or deemed to be sufficiently local, to site of biodiversity loss | | compensation for - Grassland - Modified grassland | |
| 4 | Heathland and shrub - Mixed scrub | Heathland and shrub - Mixed scrub | Medium - Medium | Poor - Moderate | Medium | Moderate | Low | Location ecologically desirable but not in local strategy | 5 | Low | Compensation inside LPA or NCA, or deemed to be sufficiently local, to site of biodiversity loss | | compensation for - Heathland and shrub - Mixed scrub | |
| 5 | Lakes - Ponds (Non- Priority Habitat) | Lakes - Ponds (Non- Priority Habitat) | High - High | Poor - Moderate | High | Moderate | Medium | Location ecologically desirable but not in local strategy | 2 | Low | Compensation inside LPA or NCA, or deemed to be sufficiently local, to site of biodiversity loss | | compensation for - Lakes - Ponds (Non- Priority Habitat) | |

| | Site Habitat Succession e / Show Columns Condense / Show Rows | | | | | | | | | | | | | | |
|----------|--|--|------------------------|---|-----------|-------------------|-----------------|-------------------------------|---|--------------------------------|---------------------------------------|--|---------------|---|-------------------|
| | lain Menu Instructions | | | | Post deve | elopment/ post ir | ntervention hab | oitats | | | | | | | |
| | Baseline habitats | | Change in distinctiv | veness and condition | | | | Ecological connectivity | Strategic significance | Temporal multiplier | Difficulty multipliers | Spatial risk multiplier | Habitat units | Comn | nents |
| Baseline | ef Baseline habitat | Proposed habitat | Distinctiveness change | Condition change | Area ha | Distinctiveness | Condition | Ecological connectivity score | Strategic significance | Time to target condition/years | Difficulty of creation category | Spatial risk category | delivered | Assessor comments | Reviewer comments |
| 6 | Grassland - Modified grassland | Woodland and forest - Lowland mixed deciduous woodland | Low - High | Lower Distinctiveness Habitat - Moderate | | High | Moderate | Medium | Location ecologically desirable but not in local strategy | 32+ | High | Compensation inside LPA or NCA, or deemed to be sufficiently local, to site of biodiversity loss | | compensation for both broadleaf and coniferous woodland | |

| E-2 | Off Site H | ledge Creation | | | | | | | | | | | | | | | | | | | |
|------|----------------------------------|--|-----------------|----------------------|-----------|----------------------|-------------------------|-------------------------|----------------------------|---|-------------------------------|-------------------------------------|--|----------------------------|--------------------------------|---------------------------|--|---------|--------------------------|-------------------|-------------------|
| | | / Show Columns Condense / Show Rows sin Menu Instructions | | | | | | | | | | | | | | | | | | | |
| | Ī | Proposed habitats | Eco | logical connectivity | y | Strategic significar | | Spatial risk multiplier | | Temporal n | ultiplier | Difficulty m | | | Com | ments | | | | | |
| Base | line f New hedge number | Habitat type Length km | Distinctiveness | Score | Condition | Score | Ecological connectivity | Connectivity | Connectivity multiplier | Strategic significance | Strategic significance | Strategic position multiplier | Spatial risk category | Spatial risk multiplier | Time to target condition/years | Time to target multiplier | Difficulty of D creation cr category m | reation | Hedge units delivered | Assessor comments | Reviewer comments |
| 1 | | Native Species Rich Hedgerow with trees | Medium | 4 | Moderate | 2 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Compensation inside LPA or NCA, or deemed to be sufficiently local, to site of biodiversity loss | 1 | 10 | 0.700 | Medium | 0.67 | | | |
| 2 | | Native Species Rich Hedgerow | Medium | 4 | Moderate | 2 | Low | Unconnected habitat | 1 | Location ecologically desirable but not in local strategy | Medium strategic significance | 1.1 | Compensation inside LPA or NCA, or deemed to be sufficiently local, to site of biodiversity loss | 1 | 5 | 0.837 | Medium | 0.67 | | | |